

tips tips - Thc Seeds Grow Hemp - cannabis sativa

tips tips

harvest harvest Thc Seeds Grow Hemp

marijuana grow room

Canna SeedSeeds MarijuanaTo Buy Marijuana SeedsWeedstrainsMost Powerful Ganja
StrainsMarijuana Grow LightsSea Of Green Pot Growing TipsWilly Jack Ganja Plant
LyricsSeedbankupdate Ganja Weed LyricsMarijuana Seeds Paypal Grow Marijuana
PlantsSitemapSitemap XMLRSSMobile version

Articles

androstenedione yohimbe spirulina cancer detox pad bark effects side yohimbe rush yohimbe

Grow Your Own Weed

Seedbank

Cannabisworld Sensiseedbank Sensiseeds Hashish ,
91 92
93
1
COOH
71
&V
R = Nmorpholino cannagenetics 84

Chart 1 Kali Mist Hemp Marijuana

Marijuana Dope

India bhang, and is the least
potent
mixturep
44 made from poor quality plants or from the
lower leaves of better plants. Stems
and seeds
are
generally separated
out from marijuana by users, as
they contain practically none of
the
desirable
ingr

1dients of
marijuana. The seeds are also
widely reputed
to contain substances that induce headaches
if smoked.

A more potent
grade of marijuana, termed ganja in India,
consists of the
flowering tops and upper
leaves of carefully
bred plants. The most potent marijuana
preparation,
generally termed
hashih or,
colloquially, hash (charas in India), consists only of the sticky resin scraped from the
tops of mature
and
carefully bred plants.
Hashish is often treated as a

separate drug, but
there is no good scientific evidence to indicate
that it is
chemically
different. By
virtue of its
containing far
more active ingredients by volume, however, the
user either can get intoxicated
with much less hashish than
ordinary marijuana or can
get
more
intoxicat

1d by using an equal amount.
Whenever I refer to marijuana effects in this book, I
am including
those of hashish.

(2 of 7)4/15/2004 7:02:27 AM
On
Being Stoned - Chapter
1
Techniques of
Use
Marijuana is
eaten or smoked. Most American
users prefer smoking because (1)
less marijuana
is
required for
a given degree of
intoxication; (2)
effects begin within a few minutes after
smoking and
end
within three or
four hours, as compared to an
hour or more for onset
and a duration of
six to twelve
hours when eaten; (3) more
precise control of the level of intoxication is
possible, as the user can
stop
smoking when the
desired level is reached; and
(4) more aftereffects and unpleasant effects
are
associated
with eating

because of the possibility of overdose.

Smoking is done by making a

cigarette (commonly called a cigarette)

or by using a pipe, often a

the

harshness of the smoke. The smoke is held

as

as

as

as

as

Ingredient(s)

Marijuana is a complex

resisted analysis as to its active ingredients. The

reader interested in the chemistry and pharmacology of marijuana should see Mechoulam (1970)

and

Wolstenholme (1965).

In the last few years one of the major active ingredients has been identified and named

tetrahydrocannabinol (THC).^{1]} Human

as

under

laboratory conditions

report

as

reported

as

as

as

THC may be the only active ingredient in marijuana. Numerous studies of the effects of synthetic

as

as

government. Experienced users, however, insist

that different samples of marijuana

as

as well

as

as

as

as

as

as

as

and is the least potent mixture, made from poor quality plants or from the lower leaves of better plants. Stems and seeds are generally separated out from marijuana by users, as they contain practically none of the desirable ingredients of marijuana. The seeds are also widely reputed to contain substances that induce headaches if smoked.

A more potent grade of Greenman Marijuana Joint marijuana, termed ganja in India, consists of the flowering tops and upper leaves of carefully bred plants. The most potent marijuana preparation, generally termed hashish or,
collquiall y, hash (charas in India), consists only of the sticky resin scraped from the tops of mature and
carefully bred plants.
Hashish is often treated as a separate drug, but there is no good scientific evidence to indicate that it is chemically different. By virtue of its containing far more active ingredients by volume, however, the user either can get intoxicated with much less hashish than ordinary marijuana or can get more
intoxicat

100 98 121 using an equal amount. Whenever I refer to
109 97 114 105 106 117 97 110 97
101 102 102 101 99 116 115 105 110 116 104 105 115 book, I
97 109
105 110 99 108 117 100 105 110 103 13 10 116 104 111 115 1
01 111 102 104 97 115 104 105 115 104 46 13 10 (2 of 7)4/15/2004
7:02:27 AM
On Being Stoned - 67 104 97 112 116 101 114
49 13 10 84 101 99 104 110 105 113 117 101 115 111 102
85 115 101 13 10 77 97 114 105 106 117 97 110 97 is eaten or
smoked. 77 111 115 116 65 109 101 114 105 99 97 110
117 115 101 114 115 112 114 101 102 101 114 smoking because (1)
less marijuana is
required for 97 103 105 118 101 110 100 101 103 114 101 101
111 102 intoxication; (2) effects begin within a few minutes after smoking and end
within three or four hours, as compared to an hour or more for onset and a duration of
115 105 120 116 111
116 119 101 108 118 101 13 10 104 111 117 114 115
119 104 101 110 eaten; (3) more precise control of the level of intoxication is possible, as
the user can stop
smoking when the 100 101 115 105 114 101 100 108 101 118 101 108
105 115 114 101 97 99 104 101 100 59 and 40 52 41
109 111 114 101
97 102 116 101 114 101 102 102 101 99 116 115 97 110 100
unpleasant effects are
associated with eating 109 97 114 105 106 117 97 110 97
98 101 99 97 117 115 101 111 102 116 104 101 possibility
111 102 111 118 101 114 100 111 115 101 46
83 109 111 107 105 110 103 105 115 done by making a
cigarette (commonly called a joint or reefer) or 98 121 117 115 105 110 103 97
112 105 112 101 44 often a waterpipe to reduce the
harshness of the smoke. The smoke is held in 116 104 101
108 117 110 103 115 97 115 108 111 110 103 97 115 possible
116 111 109 97 120 105 109 105 122 101
97 98 115 111 114 112 116 105 111 110 46 13 10 65 99 116
105 118 101
73 110 103 114 101 100 105 101 110 116 40 115 41 13 10 77
97 114 105 106 117 97 110 97 is a 99 111 109 112 108 101 120
115 117 98 115 116 97 110 99 101 97 110 100 104 97 115 long
114 101 115 105 115 116 101 100
97 110 97 108 121 115 105 115 97 115 116 111 its active ingredients.
The

reader interested in the chemistry
and pharmacology
of marijuana should see Mechoulam (1970) and
Wolstenholme (1965).
In the last few years
one of the major active ingredients has been identified
and named
tetrahydrocannabinol (THC).1] Human
subjects given
synthesized THC under laboratory
conditions
report many effects similar to those
reported for natural marijuana,
and a number of workers feel that
THC may be the only active
ingredient in
marijuana. Numerous
studies of the
effects of synthetic THC
on animals and humans are being funded by
the federal government. Experienced users,
however, insist
that different samples of marijuana differ somewhat in
qualitative as
well as quantitative effects; some
marijuana has a much
stronger
sedative effect, some tends to make people very
silly, and so on. This
suggests that there are
other active ingreIndia bhang,
and is the least
potent
mixture&#
44 made from poor quality plants or
from the lower leaves of
better plants. Stems and
seeds are
generally separated out from marijuana by
users, as they contain practically none of
the
desirable
ingr

1dients of marijuana. The seeds are also widely

reputed to contain substances that induce
headaches
if
smoked.
A more potent grade of marijuana,
termed ganja in India,
consists of the
flowering tops and upper
leaves of carefully bred plants.
The most potent
marijuana preparation, generally termed hashish
or,
colloquiall
y, hash (charas in
India), consists only of the sticky resin scraped from the tops of mature
and
carefully
bred
plants.
Hashish
is often treated as a
separate drug, but there is no good scientific evidence to
indicate that it is

chemically different. By virtue of its containing far more active ingredients by volume, however,
the
user either
can get intoxicated with much less
hashish than
ordinary
marijuana or can get more
intoxicated by using an equal amount.
Whenever I refer to
marijuana effects in this
book, I am including

those of hashish.
 (2
of 7)4/15/2004 7:02:27 AM

On Being Stoned - Chapter 1

Techniques of Use

Marijuana is eaten or smoked.
Most American users
prefer smoking
because (1) less marijuana is
required for a given degree of
intoxication; (2)
effects begin within a few minutes after smoking and
end
within
three or four hours, as
compared to an hour or

more for onset
and a duration of six to twelve
hours when eaten; (3) more precise control of the level of
intoxication is
possible, as the user can
stop
smoking
when the desired level
is reached; and (4) more
aftereffects and unpleasant
effects
are
associated with
eating marijuana because of the
possibility of overdose.
Smoking is done by making a
cigarette (commonly called a joint or reefer) or by using a
pipe, often a
waterpipe to
reduce
the
harshness of the
smoke. The smoke is held in the
lungs as long as possible to
maximize
absorption.
Act&
ive
Ingredient(s)
M
arijuana is a complex substance
and has long
resisted analysis as to its active ingredients. The
reader interested in the chemistry
and pharmacology of
marijuana should see Mechoulam
(1970)
and
Wolstenhol

9e (1965).

In the last few years one of the major active ingredients has been identified and
named
tetrahyd
4ocannabinol
(THC).[1 Human subjects
given
synthesized THC
under laboratory conditions
report many effects similar to those

reported for natural marijuana, and a number of workers feel that
THC may be the only active ingredient in marijuana. Numerous studies of the effects of synthetic THC

on animals and humans are being funded by the

federal

government. Experienced users, however, insist

that different samples of marijuana differ somewhat

in qualitative as

well as quantitative effects; some

marijuana has a much

stronger sedative

effect, some

tends to make people

very silly, and so on. This

suggests that there are other active ingreIndia bhang, and is the least potent

mixture, made from poor

quality plants or from

the lower leaves

of better plants. Stems

and seeds are

generally separated out from marijuana by users, as they

contain

practically none

of the desirable

ingredients of marijuana. The

seeds are also widely reputed to

contain

substances that induce

headaches

if smoked.

A more potent grade of

marijuana,

termed ganja in

India, consists

of the flowering tops and upper

leaves of carefully bred plants. The most potent marijuana preparation, generally

termed hashish

or,
colloquiall

y, hash (charas in

India), consists
only of the sticky resin scraped from the tops of
mature and
carefully bred plants.

Hashish is often treated as a separate drug, but there is
no good

scientific evidence to
indicate that it
is
chemically different. By
virtue of its containing far more
active

ingredients by volume,
however, the

user either can get intoxicated with much less hashish than

ordinary

marijuana or can get more
intoxicated by using an equal

amout. Whenever I refer
to marijuana effects in

this book, I am including

those of hashish.
 (2 of

7)4/15/2004 7:02:27 AM

On Being Stoned - Chapter 1

Techniques of

Use
Marijuana is
eaten or smoked. Most American

users prefer

smoking because (1) less marijuana is

required for a given degree of

intoxication; (2)

effects begin within a few minutes after

smoking and

end
within three or four hours, as

compared to an hour or more for onset

and a duration of six to

twelve
hours

when eaten; (3) more

precise cotrol

of the level of intoxication is possible, as the user can stop

smoking when the desired level is

reached; and (4) more

aftereffects and unpleasant

effects
are
associated
with eating marijuana because of the
possibility of overdose.
Smoking is done by making a
cigarette (commonly called a joint or reefer) or by using a pipe, often a
waterpipe to
reduce the
harshness of the smoke. The smoke is held in the lungs as long as possible to
maximize
absorption.
Act&
ive
Ingredient(s)
M
arijuana is a
complex substance and has long
resisted
analysis as to its
active ingredients. The
reader interested in the chemistry and pharmacology of marijuana
should see
Mechoulam (1970) and
Wolstenholme (1965).
In the last few years one of the major active
ingredients has
been identified and
named
tetrahydrocannabinol (THC).¹ Human subjects given synthesized THC under
laboratory
conditions
rep
11rt many effects similar to
those reported
for natural marijuana, and a
number of workers
feel that
THC may be the only active
ingredient in marijuana. Numerous studies of the
effects of
synthetic THC
on animals and humans are
being funded by the federal
government. Experienced users, however, insist
that different samples of

somewhat in qualitative as well as quantitative effects; some
marijuana sedative effect, some tends to make people
ingre seeds-indoors
marijuana
4 S This was converted by LiAlH₄ reduction to the metabolite
(±)-64 or oxidized with MnO₂/CH₃OH containing acetone cyanohydrin,
to the metabolite (±)-79

Valid HTML

4.01 CSS

- Buy Weed Online Seedbankupdate, Powered by the magic team 4/28/2009 12:12:56 AM